

« VASCULAR BIOLOGY : ENDOTHELIAL CELLS, INFLAMMATION AND CANCER » TEAM

Jean-Philippe Girard

A COMPLETE LIST OF THE PAPERS :

Lafouresse F, Bellard E, Laurent C, Moussion C, Fournié JJ, Ysebaert L, **Girard JP**. L-selectin controls trafficking of chronic lymphocytic leukemia cells in lymph node high endothelial venules in vivo. *Blood*. **2015** Sep 10;126(11):1336-45. doi: 10.1182/blood-2015-02-626291

Nabekura T, **Girard JP**, Lanier LL. IL-33 Receptor ST2 Amplifies the Expansion of NK Cells and Enhances Host Defense during Mouse Cytomegalovirus Infection. *J Immunol*. **2015** 194(12):5948-52

Lefrançois§ E, Duval§ A, (§ Co-first authors) Mirey E, Roga S, Espinosa E, Cayrol* C, **Girard* JP**. (* Co-senior authors). Central domain of IL-33 is cleaved by mast cell proteases for potent activation of group-2 innate lymphoid cells. *Proc Natl Acad Sci USA*. **2014** 111(43):15502-7.

Cayrol C, **Girard JP**. IL-33: an alarmin cytokine with crucial roles in innate immunity, inflammation and allergy. *Curr Opin Immunol*. **2014** 31:31-7.

Levescot A, Flamant S, Basbous S, Jacomet F, Féraud O, Anne Bourgeois E, Bonnet ML, Giraud C, Roy L, Barra A, Chomel JC, Turhan A, Guilhot F, **Girard JP**, Gombert JM, Herbelin A. BCR-ABL-Induced Deregulation of the IL-33/ST2 Pathway in CD34(+) Progenitors from Chronic Myeloid Leukemia Patients. *Cancer Res*. **2014** 74(10):2669-76.

Thierry A, Giraud S, Robin A, Barra A, Bridoux F, Ameteau V, Hauet T, **Girard JP**, Touchard G, Gombert JM and Herbelin A. The Alarmin Concept Applied to Human Renal Transplantation: Evidence for a Differential Implication of HMGB1 and IL-33. *PLoS One*. **2014** 9(2): e88742.

Biton J, Thiolat A, Khaleghparast Athari S, Lemeiter D, Hervé R, Roga S, Levascot A, Decker P, **Girard JP**, Herbelin A, Boissier MC, and Bessis N. Interleukin-33 suppresses experimental arthritis through promoting Foxp3+ regulatory T-cells and type-2 immune responses in mice. *Ann Rheum Dis*. **2014** 73: A28 doi: 10.1136/

Martinet L. and **Girard JP**. Regulation of tumor-associated high-endothelial venules by dendritic cells : A new opportunity to promote lymphocyte infiltration into breast cancer? *Oncoimmunology*. **2013** 2(11): e26470.

Byers DE, Alexander-Brett J, Patel AC, Agapov E, Dang-Vu G, Jin X, Wu K, You Y, Alevy Y, **Girard JP**, Stappenbeck TS, Patterson GA, Pierce RA, Brody SL, Holtzman MJ. Long-term IL-33-producing epithelial progenitor cells in chronic obstructive lung disease. *J Clin Invest.* **2013** 123(9):3967-82.

Sedhom MA, Pichery M, Murdoch JR, Foligné B, Ortega N, Normand S, Mertz K, Sanmugalingam D, Brault L, Grandjean T, Lefrancais E, Fallon PG, Quesniaux V, Peyrin-Biroulet L, Cathomas G, Junt T, Chamaillard M, **Girard JP*** and Ryffel B*. Neutralisation of the interleukin-33/ST2 pathway ameliorates experimental colitis through enhancement of mucosal healing in mice. *Gut.* **2013** 62 (12): 1714-23. (* Co-senior authors)

Martinet L, Filleron T, Le Guellec S, Rochaix P, Garrido I, **Girard JP**. High endothelial venule blood vessels for tumor-infiltrating lymphocytes are associated with lymphotoxin β -producing dendritic cells in human breast cancer. *J Immunol.* **2013** 191(4):2001-8.

Martinet L, Le Guellec S, Filleron T, Lamant L, Meyer N, Rochaix P, Garrido I, **Girard JP**. High endothelial venules (HEVs) in human melanoma lesions: Major gateways for tumor-infiltrating lymphocytes. *Oncoimmunology.* **2012** 1(6):829-839.

Girard JP, Moussion C, Förster R. HEVs, lymphatics and homeostatic immune cell trafficking in lymph nodes. *Nat Rev Immunol.* **2012** 12(11):762-73.

Arshad MI, Piquet-Pellorce C, L'helgoualc'h A, Rauch M, Patrat-Delon S, Ezan F, Lucas-Clerc C, Nabti S, Lehuen A, Javier Cubero F, **Girard JP**, Trautwein C, Samson M. TRAIL but not FasL and TNF α , regulates IL-33 expression in murine hepatocytes during acute hepatitis. *Hepatology.* **2012** 56(6):2353-62.

Martinet L, Garrido I, **Girard JP**. Tumor high endothelial venules (HEVs) predict lymphocyte infiltration and favorable prognosis in breast cancer. *Oncoimmunology.* **2012** 1(5):789-790.

Moussion C, **Girard JP**. High endothelial venules (HEVs) and dendritic cells: a key functional unit for lymphocyte migration. *Med Sci (Paris).* **2012** 28(4):347-9.

Gautier V, Mouton-Barbosa E, Bouyssie D, Delcourt N, Beau M, **Girard JP**, Cayrol C, Burlet-Schiltz O, Monsarrat B, Gonzalez de Peredo A. Label-free quantification and shotgun analysis of complex proteomes by 1D SDS-PAGE/nanoLC-MS: evaluation for the large-scale analysis of inflammatory human endothelial cells. *Mol Cell Proteomics.* **2012** 11(8):527-39.

Pichery M, Mirey E, Mercier P, Lefrancais E, Dujardin A, Ortega N*, **Girard JP***. Endogenous IL-33 is highly expressed in mouse epithelial barrier tissues, lymphoid organs, brain, embryos, and inflamed tissues: in situ analysis using a novel IL-33-LacZ gene trap reporter strain. *J Immunol.* **2012** 188(7):3488-95. (* Co-senior authors)

Lefrançois E, Roga S, Gautier V, Gonzalez-de-Peredo A, Monsarrat B, **Girard JP***, Cayrol C*. IL-33 is processed into mature bioactive forms by neutrophil elastase and cathepsin G. *Proc Natl Acad Sci USA*. 2012 109(5):1673-8. (* Co-senior authors)

Moussion C, **Girard JP**. Dendritic cells control lymphocyte entry to lymph nodes through high endothelial venules *Nature*.2011 479(7374):542-6.

Martinet L, Garrido I, Filleron T, Le Guellec S, Bellard E, Fournie JJ, Rochaix P, **Girard JP**. Human solid tumors contain high endothelial venules: association with T- and B-lymphocyte infiltration and favorable prognosis in breast cancer. *Cancer Res*. 2011 71(17):5678-87.

Bourgeois E, Levescot A, Diem S, Chauvineau A, Berges H, Milpied P, Lehuen A, Damotte D, Gombert J, Schneider E, **Girard JP**, Gourdy P, Herbelin A. A natural protective function of invariant NKT cells in a mouse model of innate-cell-driven lung inflammation. *Eur J Immunol*.2011 41(2): 299-305.

Locher C, Conforti R, Aymeric L, Ma Y, Yamazaki T, Rusakiewicz S, Tesnière A, Ghiringhelli F, Apetoh L, Morel Y, **Girard JP**, Kroemer G, Zitvogel L. Desirable cell death during anticancer chemotherapy. *Ann N Y Acad Sci*. 20101209:99-108.

Gavarini S, Cayrol C, Fuchs T, Lyons N, Ehrlich ME, **Girard JP*** and Ozelius LJ*. Direct interaction between causative genes of DYT1 and DYT6 primary dystonia. *Ann Neurol*. 201068:549-553. (* Co-senior authors).

Lanati S, Dunn DB, Roussigne M, Emmett MS, Carriere V, Jullien D, Budge J, Fryer J, Erard M, Cailler F, **Girard JP*** and Bates DO. Chemotrap-1: an engineered soluble receptor that blocks chemokine-induced migration of metastatic cancer cells in vivo. *Cancer Res*. 2010 70:8138-8148. (* Co-senior authors).

Mazars R*, Gonzalez-de-Peredo A*, Cayrol C*, Lavigne AC, Vogel JL, Ortega N, Lacroix C, Gautier V, Huet G, Ray A, Monsarrat B, Kristie TM and **Girard JP**. The THAP-zinc finger protein THAP1 associates with coactivator HCF-1 and O-GlcNAc transferase: a link between DYT6 and DYT3 dystonias. *J Biol Chem*. 2010 285:13364-13371. (* Co-first authors)

Schneider, E., Petit-Bertron, A., Bricard, R., Levasseur, M., Ramadan, A., **Girard, JP**, Herbelin, A., & Dy, M. . IL-33 Activates Unprimed Murine Basophils Directly In Vitro and Induces Their In Vivo Expansion Indirectly by Promoting Hematopoietic Growth Factor Production. *J Immunol*. 2009 183(6): 3591-3597.

Cayrol C and **Girard JP**. The IL-1-like cytokine IL-33 is inactivated after maturation by caspase-1. *Proc Natl Acad Sci USA*. 2009106:9021-9026.

Bourgeois E, Van LP, Samson M, Diem S, Barra A, Roga S, Gombert JM, Schneider E, Dy M, Gourdy P, **Girard JP** and Herbelin A. The pro-Th2 cytokine IL-33 directly interacts with invariant NKT and NK cells to induce IFN-g production. *Eur J Immunol*. 2009 39:1046-1055.

Moussion C*, Ortega N* and **Girard JP**. The IL1-like cytokine IL-33 is constitutively expressed in the nucleus of endothelial cells and epithelial cells in vivo : a novel “alarmin” ? *PLoS One*. **2008** 3(10):e3331 (* Co-first authors).

Flaishon L*, Hart G*, Zelman E*, Moussion C*, Grabovsky V, Lapidot Tal G, Feigelson S, Margalit R, Harmelin A, Avin-Wittenberg T, Shoseyov D, Alon R, **Girard JP** and Shachar I. Anti-inflammatory effects of an inflammatory chemokine: CCL2 inhibits lymphocyte homing by modulation of CCL21 triggered integrin-mediated adhesions. *Blood*. **2008** 112:5016-5021 (* Co-first authors).

Roussel L, Erard M, Cayrol C and **Girard JP**. Molecular mimicry between IL-33 and KSHV for attachment to chromatin through H2A-H2B acidic pocket. *EMBO Rep*. **2008** 9:1006-1012. (This article has been selected by the Editor for a “research highlight”)

Bessièrè D*, Lacroix C*, Campagne S, Ecochard V, Guillet V, Mourey L, Lopez F, Czaplicki J, Demange P, Milon A, **Girard JP** and Gervais V\$. Structure-function analysis of the THAP-zinc finger of THAP1, a large C2CH DNA-binding module linked to Rb/E2F pathways. *J Biol Chem*. **2008** 283:4352-4363 (*, Co-first authors; \$, Co-corresponding authors).

Bouyssié D, de Peredo AG, Mouton E, Albigot R, Roussel L, Ortega N, Cayrol C, Burlet-Schiltz O, **Girard JP**, Monsarrat B. Mascot File Parsing and Quantification (MFPaQ), a New Software to Parse, Validate, and Quantify Proteomics Data Generated by ICAT and SILAC Mass Spectrometric Analyses: Application To the Proteomics Study of Membrane Proteins from Primary Human Endothelial Cells. *Mol Cell Proteomics*. **2007** 6:1621-1637.

Carriere V, Roussel L, Ortega N, Lacorre DA, Americh L, Aguilar L, Bouche G and **Girard JP**. Interleukin-33, the IL-1-like ligand for ST2 receptor, is a chromatin associated nuclear factor in vivo. *Proc. Natl. Acad. Sci. USA*, **2007**, 104:282-287 (This article has been highlighted in Science Signaling 2007(390):pe31).

Girard JP. A direct inhibitor of HMGB1 cytokine. *Chemistry & Biology*. **2007** 14:345-347.

Cayrol C, Lacroix C, Mathe C, Ecochard V, Loreau E, Lazar V, Dessen P, Mantovani R, Aguilar L and **Girard JP**. The THAP zinc finger protein THAP1 regulates endothelial cell proliferation through modulation of pRB/E2F cell cycle target genes. *Blood*. **2007** 109:584-594.

Carriere V, Colisson R, Jiguet-Jiglaire C, Bellard E, Bouche G, Al Saati T, Amalric F, **Girard JP** and M'Rini C. Cancer cells regulate lymphocyte recruitment and leukocyte-endothelium interactions in the tumor-draining-lymph node. *Cancer Research*. **2005**, 65:11639-11648.

Middleton J, Americh L, Gayon R, Julien D, Mansat M, Mansat P, Anract P, Cantagrel A, Cattan P, Reimund JM, Aguilar L, Amalric F and **Girard JP**. A comparative study of endothelial cell markers expressed in chronically inflamed human tissues: MECA-79, Duffy antigen receptor for

chemokines, von Willebrand factor, CD31, CD34, CD105 and CD146. *J. Pathol.* **2005** 206:260-268.

Clouaire T, Roussigne M, Ecochard V, Mathe C, Amalric F and **Girard JP**. The THAP domain of THAP1 is a large C2CH module with zinc-dependent sequence-specific DNA binding activity. *Proc Natl Acad Sci USA.* **2005**102:6907-6912.

Middleton J, Americh L, Gayon R, Julien D, Aguilar L, Amalric F and **Girard JP**. Endothelial cell phenotypes in the rheumatoid synovium: activated, angiogenic, apoptotic and leaky. *Arthritis Res Ther.* **2004** 6:60-72.

Lacorre DA, Baekkevold E, Garrido I, Brandtzaeg P, Haraldsen G, Amalric F and **Girard JP**. Plasticity of endothelial cells: rapid dedifferentiation of freshly isolated high endothelial venule endothelial cells outside the lymphoid tissue microenvironment. *Blood.***2004** 103:4164-4172 (This article has been selected by the Editors for a research highlight in "Inside Blood").

Bonnard E, burlet-Schiltz O, Monsarrat B, **Girard JP** and Zajac JM. Identification of proNeuropeptide FFA peptides processed in neuronal and non-neuronal cells and in nervous tissue. *Eur J Biochem.* **2003** 270:4187-99.

Baekkevold E, Roussigné M, Johansen FE, Jahnsen F, Amalric F, Erard M, Brandtzaeg P, Haraldsen G and **Girard JP**. Molecular characterization of NF-HEV - a nuclear factor preferentially expressed in human high endothelial venules. *Am J Path.* **2003** 163:69-79.

Vincourt JB, Julien D, Amalric F and **Girard JP**. Molecular and functional characterization of SLC26A11, a sodium-independent sulfate transporter from high endothelial venules. *FASEB J.* **2003** 17:890-892.

Roussigne M, Cayrol C, Clouaire T, Amalric F and **Girard JP**. THAP1 is a nuclear proapoptotic factor that links prostate-apoptosis-response-4 (Par-4) to PML nuclear bodies. *Oncogene.* **2003**22:2432-2442.

Roussigne M, Kossida S, Lavigne ACL, Clouaire T, Ecochard V, Glories A, Amalric F and **Girard JP**. The THAP domain, a novel protein motif with similarity to the DNA-binding domain of P-element transposase. *Trends Biochem Sci.***2003** 28:66-69.

Stein JV, M'Rini C, Soriano SF, Nombela-Arrieta C, Rodriguez-Frade JM, Mellado M, **Girard JP** and Carlos Martinez-A. CCR7-mediated physiological lymphocyte homing involves activation of a tyrosine kinase pathway. *Blood.***2003** 101:38-44.

Villalva C, Trempat P, Greenland C, Thomas C, **Girard JP**, Moebius F, Delsol G, Brousset P. Isolation of differentially expressed genes in NPM-ALK-positive anaplastic large cell lymphoma. *Br J Haematol.* **2002** 118:791-798.

Lavigne AC, Carriere V, Amalric F, **Girard JP** and M'Rini C. Apports de la microscopie intravitale réalisée in situ sur animal vivant dans l'étude du cancer. *Médecine/Sciences*. **2002** 18 :217-225.

Vincourt JB, Julien D, Kossida S, Amalric F and **Girard JP**. Molecular cloning of SLC26A7: a novel member of the SLC26 sulfate/anion transporter family from high endothelial venules and kidney. *Genomics*. **2002** 79:249-256.

Besset S, Amalric F and **Girard JP**. La sulfatation : un rôle clé dans le contrôle des interactions entre leucocytes et endothélium au cours de l'inflammation. *Médecine/Thérapeutique*. **2001**, 7 :82-87.

Besset S, Vincourt JB, Amalric F and **Girard JP**. Nuclear localization of PAPS synthetase 1 : a sulfate activation pathway in the nucleus of eukaryotic cells. *FASEB J*. **2000** 14 :345-354.

Girard JP, Baekkevold ES, Yamanaka T, Haraldsen G, Brandtzaeg P and Amalric F. Heterogeneity of endothelial cells : the specialized phenotype of human high endothelial venules characterized by suppression subtractive hybridization. *Am J Path*. **1999** 155 :2043-2055.

Girard JP, Baekkevold ES, Feliu J, Haraldsen G, Brandtzaeg P, and Amalric F. SUT-1 encodes a novel sodium-dependent sulfate transporter from human high endothelial venules. *Proc Natl Acad Sci USA*. **1999** 96 :12772-12777.

Girard JP, Baekkevold ES and Amalric F. Sulfation in high endothelial venules : cloning and expression of human PAPS synthetase. *FASEB J*. **1998** 12:603-612.

Girard JP and Amalric F. Biosynthesis of sulfated L-selectin ligands in human high endothelial venules. *Glycoimmunology*. **1998** 435:55-62.

Girard JP and Springer TA. Modulation of endothelial cell adhesion by hevin, an acidic protein associated with high endothelial venules. *J Biol Chem*. **1996** 271:4511-4517.

Girard JP and Springer TA. Cloning from purified high endothelial venules cells of Hevin, a close relative of the anti-adhesive extracellular matrix protein SPARC. *Immunity*. **1995** 2:113-123.

Girard JP and Springer TA. High endothelial venules (HEV): specialized endothelium for lymphocyte migration. *Immunol Today*. **1995** 16:449-457.

Gulli MP, **Girard JP**, Zabetakis D, Lapeyre B, Méléze, T and Caizergues-Ferrer, M. Gar2 is a nucleolar protein from *Schizosaccharomyces pombe* required for 18S rRNA and 40S ribosomal subunit accumulation related to NSR1 and nucleolin. *Nucl Acids Res*. **1995** 23:1912-1918.

Girard JP, Bagni C, Caizergues-Ferrer M, Amalric F and Lapeyre B. Identification of a segment of the small nucleolar ribonucleoprotein-associated protein GAR1 that is sufficient for nucleolar accumulation. *J Biol Chem*. **1994** 269:18499-18506.

Girard JP, Caizergues-Ferrer M and Lapeyre B. The SpGAR1 gene of Schizosaccharomyces pombe encodes the functional homologue of the snoRNP protein GAR1 of Saccharomyces cerevisiae. *Nucl Acids Res.* **1993** 9:2149-2155.

Girard JP, Caizergues-Ferrer M, Feliu J and Lapeyre B. Study of multiple fibrillarin mRNAs reveals that 3' end formation in Schizosaccharomyces pombe is sensitive to cold shock. *Nucl Acids Res.* **1993** 8:1881-1887.

Girard JP, Lehtonen H, Caizergues-Ferrer M, Amalric F, Tollervey D and Lapeyre B. GAR1 is an essential small nucleolar RNP protein required for pre-rRNA processing in yeast. *EMBO J.* **1992** 11:673-682.